## Cold agglutinin disease following SARS-CoV-2 and Mycoplasma pneumoniae co-infections

Chatphatai Moonla<sup>1</sup>, Phandee Watanaboonyongcharoen<sup>1</sup>, Gompol Suwanpimolkul<sup>1</sup>, Leilani Paitoonpong<sup>1</sup>, Watsamon Jantarabenjakul<sup>1</sup>, Chantiya Chanswangphuwana<sup>1</sup>, Chantana Polprasert<sup>1</sup>, Ponlapat Rojnuckarin<sup>1</sup>, and Opass Putcharoen<sup>1</sup>

<sup>1</sup>Chulalongkorn University Faculty of Medicine

May 13, 2020

## Abstract

During coronavirus disease 2019 (COVID-19) pandemic, coinfections with other viral infections are not uncommon, but concomitant atypical bacteria are rare. Herein, we describe a young female COVID-19 patient who developed acute cold agglutinin disease secondary to *Mycoplasma pneumoniae*. Using an azithromycin-containing COVID-19 therapeutic regimen, both pneumonia and anemia resolved uneventfully.

## Hosted file

Clin\_Case\_Rep\_Manuscript.doc available at https://authorea.com/users/321381/articles/450668-cold-agglutinin-disease-following-sars-cov-2-and-mycoplasma-pneumoniae-co-infections

