

## Tables

<b>Table 1. Patient Characteristics</b>	
<b>Variable</b>	<b>Patients (n=14)</b>
Baseline characteristics	
Mean age, y (SD)	63.4 (17.1)
Women, n (%)	4 (28.6)
White race, n (%)	10 (71.4)
Mean APACHE II Score (SD)	17.8 (6.8)
Location before ICU, n (%)	
ED	11 (78.6)
Other Hospital Ward	1 (7.1)
Other Hospital ICU	1 (7.1)
Other Hospital ER	1 (7.1)
ICU admitting diagnosis, n (%)	
Cardiovascular/ vascular	3 (21.4)
Respiratory	3 (21.4)
Neurologic	4 (28.6)
Sepsis	3 (21.4)
Hepatic	1 (7.1)
Admission Type, n (%)	
Medical	14 (100)
Surgical	0 (0)
No CPR order on ICU admission, n (%)	2 (14.3)
Status Change in ICU, n (%)	8 (57.1)
CPR at time of death, n (%)	4 (28.6)
Spiritual Beliefs, n (%)	
Roman Catholic	7 (50.0)
Christian	2 (14.3)
Lutheran	1 (7.1)
Mennonite	1 (7.1)
None	3 (21.4)
Reason or Enrollment, n (%)	
Very poor prognosis	1 (7.1)
Decision to withdraw advanced life support-	13 (92.9)
Project initiated by, n (%)	
MD	12 (85.7)
RN	2 (14.3)
Characteristics during ICU stay	
Advanced life support administered at any time in ICU, n (%)	
Mechanical Ventilation	11 (78.6)
Inotropes	9 (64.3)
Dialysis	2 (14.3)
Median duration of advanced life support, d (IQR)	
Mechanical Ventilation	4 (3.5, 6.5)
Inotropes	2 (1, 7)
Dialysis	4 (3, 5)
Consultations in ICU, n (%)	
Spiritual care	6 (42.9)
Palliative care	3 (21.4)
Social work	2 (14.3)
Median Hospital Course, d (IQR)	

From hospital admission to ICU admission	1 (0, 2)
From ICU admission to death	5 (3, 10)
From hospital admission to death	7.5 (3.3, 12)
From ICU admission to enrollment in 3WP	4.5 (2.3, 9)
From enrollment in 3WP to death	0.5 (0, 1)
Location of death, n (%)	
ICU	12 (85.7)
Ward	1 (7.1)
PCU	1 (7.1)

<b>Table 2. Wishes Implemented</b>	
<b>Categories of Wishes, n (%)</b>	
Facilitating Connections with family/ friends/ pets	10 (14.9)
Celebrations involving food/ beverages	7 (10.4)
Humanizing the ICU room	5 (7.5)
Humanizing the patient	1 (1.5)
Music	6 (9.0)
Family Care	9 (13.4)
Religious rituals & spiritual ceremonies	8 (11.9)
Preparations and final arrangements	9 (13.4)
Keepsakes and post mortem tributes	10 (14.9)
Organ & Tissue Donation	2 (3.0)
Paying it Forward for the 3 Wishes Project	0 (0)
Characteristics of Wishes	
Patient capable of engaging in wishes, n (%)	5 (35.7)
Median wishes per patient/ family, n (IQR)	4.5 (3.3, 6.0)
Wishes/ originated by, n (%)	
Patient	7 (10.4)
Family	32 (47.8)
Staff	28 (41.8)
Implemented by, n (%)	
Family	14 (20.9)
Staff	44 (65.7)
Other	9 (13.4)
Completed, n (%)	66 (98.5)
Antemortom, n (%)	63 (94.0)
Donated, n (%)	19 (28.4)
Mean cost of wishes, \$	0.87

<b>Table 3: Characteristics of Interview Participants</b>	
<b>Characteristic</b>	<b>n (%)</b>
Mean age, y (SD)	41.1 (14.7)
Sex	
Male	2 (16.7)
Female	10 (83.3)
Median years of experience, y (IQR)	5 (4, 10.5)
Role in ICU, n (%)	
Physician	1 (8.3)
Nurse	8 (66.7)
Research Coordinator	1 (8.3)
Manager	1 (8.3)
Community Worker	1 (8.3)
Role in Multidisciplinary Team, n (%)	
Principal Investigator	1 (8.3)
Frontline Champion	3 (25.0)
Frontline User	4 (33.3)
Research Support	2 (16.7)
Executive Support	1 (8.3)
Community Support	1 (8.3)