

Table 2 Laboratory results

	Case 1	Case 2	Case 3
Infectious			
SARS-CoV-2 PCR	Negative	Not done	Not done
SARS-CoV-2 antibodies (IgG+IgM)	Not done	Reactive	Reactive
Blood culture	Negative	Negative	Negative
HSV PCR blood/CSF	Not done	Not done	Negative/Not done
Hematologic			
Blood type	B positive	A positive	B positive
Antibody screen/DAT IgG	Negative/Negative	Negative/Negative	Negative/Negative
Hb/Hct† g/dL/%	8.3/25.2	7.4/22.5	17/48.9
Nucleated RBC¶ % (absolute x 10 ³ /µL)	37.5 (1.74)	232.6 (20.67)	68.9 (15.89)
Platelets† x10 ³ /µL	51	46	196
Retic percent * (absolute)	14.3 (0.609)	7.05 (0.173)	8.96 (0.57)
Immature reticulocyte fraction (14.5-24.6%)	6	40.4	41.2
Peripheral smear	Anisocytosis 3+, spherocytes, schistocytes 1+	Anisocytosis 2+, schistocytes 2+, increased spherocytes	Anisocytosis 3+ spherocytes 1+ schistocytes 2+
Glucose-6 phosphate dehydrogenase U/g Hb	Not done	Not done	5.4
Coagulation			
PT* seconds	43.7	23.3	12.8
INR*	4.4	2.0	1.0
PTT* seconds	>150	42	31.1
D dimer* µG/mL FEU	Gross hemolysis	2.82	Not done
Fibrinogen† mg/dL	137	94	Not done
Plasma free hemoglobin* mg/dL	2280	700	120
LDH* U/L	Gross hemolysis	555	1853
Haptoglobin (mg/dL)	Not done	8	<8
Renal			
creatinine* mg/dL	1.17	0.65	0.47
UA	Blood 3+, RBC 0-4	Normal	Normal
Liver			
Conjugated bilirubin* mg/dL	Gross hemolysis	0	0.2
Total bilirubin* mg/dL	Gross hemolysis	7.4	17
AST* U/L	Gross hemolysis	119	65
ALT* U/L	40	5	23
Ferritin* ng/ml	Not done	196	92

SARS-CoV-2: severe acute respiratory syndrome coronavirus 2, CSF: cerebrospinal fluid, PCR: polymerase chain reaction, HSV: herpes simplex virus, IgM:

immunoglobulin M, IgG: immunoglobulin G, DAT: direct antiglobulin test, HCT: hematocrit, Hb: hemoglobin, RBC: red blood cells, PT: prothrombin time, INR:

International Normalized Ratio, PTT: Partial thromboplastin time, LDH: lactate dehydrogenase, UA: urine analysis, ALT: alanine transaminase, AST aspartate

aminotransferase

† lowest level, * highest level ¶ at the time of hemolysis

