

| | single chamber map (n = 61) | dual chamber map (n=50) | p-value |
|---------------------------------|----------------------------------|----------------------------|---------|
| Baseline Characteristics | | | |
| Age | 36 (13-54.5) | 15 (10-54) | 0.3534 |
| Gender, male, n (%) | 40 (65.6) | 32 (64.0) | 0.8628 |
| Body height, cm | 162.5 (152.7-171.1) | 159.0 (142.4-168.4) | 0.3369 |
| Body weight, kg | 55.0 (45.3-66.1) | 51.4 (39.7-66.7) | 0.5958 |
| Accessory pathway | | | |
| Manifest, n (%) | 33 (54.1) | 24 (49.0) | 0.5224 |
| Type A, n (%) | 44 (72.1) | 34 (68.0) | 0.6357 |
| Type B, n (%) | 11 (18.0) | 10 (20.0) | 0.7923 |
| Type C, n (%) | 6 (9.8) | 6 (12.0) | 0.7149 |
| Procedure Results | | | |
| Acute Success, n (%) | 61 (100) | 50 (100) | ns |
| Complications, n (%) | 0 (0.0) | 1 (2.0) | 0.2672 |
| Recurrences, n (%) | 2 (3.3) | 1 (2.0) | 0.6883 |
| Radiofrequency applications | 3 (1-6) | 1 (1-3) | 0.0023* |
| Radiofrequency time, sec | 95.6 (4.1-248.7) | 9.2 (2.0-95.7) | 0.0107* |
| Radiofrequency energy, J | 2867.6 (134.2-7748.4) | 248.4 (58.7-3328.2) | 0.0115* |
| Procedure Time, min | 180.0 (139.0-212.0) | 165.0 (130.0-198.0) | 0.2733 |
| Fluoroscopy time, min | 26.5 (17.7-43.4) | 19.9 (14.2-26.1) | 0.0025* |
| Fluoroscopy dose, mGy | 119.0 (43.7-213.5) | 52.5 (31.3-146.0) | 0.0249* |

Table 1. Patients characteristics and procedure results

Continuous variables are shown as the median (IQR) and categorical variables as the number (%). Mann-Whitney test for non-parametric data. The categorical data were compared by a chi-square test. *: p<0.05