

		Pulse Rates				Inter-group
		Single Surgical Mask	Double Surgical Mask	N95 Mask	SM+N95Mask †	Variance p value
Baseline	Mean±SD§	80.8 ± 12.9	81.4 ± 12.0	80.9 ± 11.6	81.8 ± 13.9	0.370 ‡
	Median	80.0	78.0	80.0	82.0	
30.Minute	Mean±SD§	79.3 ± 9.4	78.7 ± 10.6	79.2 ± 10.1	81.3 ± 10.7	0.109 ‡
	Median	80.0	77.0	78.0	82.0	
60.Minute	Mean±SD§	77.5 ± 10.8 <sup>4</sup>	77.9 ± 12.0 <sup>4</sup>	79.4 ± 9.6 <sup>4</sup>	81.6 ± 9.3	<b>0.012</b> ‡*
	Median	76.0	77.0	78.0	82.0	
90.Minute	Mean±SD§	78.2 ± 12.6	76.8 ± 10.6	80.0 ± 11.0	79.2 ± 11.4	0.118 ‡
	Median	75.0	77.0	80.0	80.0	
120.Minute	Mean±SD§	77.4 ± 12.1	75.3 ± 10.5	78.7 ± 13.6	80.7 ± 12.6	0.052 ‡
	Median	76.0	74.0	77.0	80.0	
In-group Variance p value		0.156 ‡	<b>0.017</b> ‡,*	0.901 ‡	0.151 ‡	

†: Single Surgical Mask with N95/ ‡: Friedman test ( Wilcoxon test)/ §: Mean ± Standart Deviation

\*: p<0.05