

**Table 2: Surgical outcomes of included studies**

Year,Author	AMH preoperative (SPL)	AMH postoperative (SPL)	AMH preoperative (MPL)	AMH postoperative (MPL)	Total operative time(min)	Blood lose(ml)	Hb drop(g/ dl)	Hospital stay(days)	Adhesiolysis	Conversion
<b>2014,Yoon</b>	4.4±2.9	2.3±1.9	3.9±3.2	2.5±2.0	71±23,9 vs 62,7±38,4	126,6±148,8 vs 91,4±81,3	2±0,9 vs 1,8±0,8	2,8±0,5 vs 2,8±0,6	13(44, 8%) vs 12(41.4%)	0
<b>2014,Huang</b>	3.94±1.53	3.37±1.24	3.99±1.75	3.43±1.52	92,35±17,13 vs 83,38±20,70	108,68±32,58 vs 98,43±30,92	N/A	4,03±1,60 vs 3,78±0,78	N/A	N/A
<b>2015,Angioni</b>	2.90±2.26	1.76±1.50	3.13±2.08	2.09±1.66	60,3±15 VS 45,1±20,5	65±44,89 vs 28,64±13,20	N/A	N/A	N/A	N/A
<b>2019,Wang</b>	3.76±1.70	3.22±1.68	3.47±1.79	3.07±1.71	50±10 vs 46±14	20±10 vs 35±15	13,1±7,4 vs 15,0±6,4	4(4-5) vs 5(4-5)	23(48, 9%) vs 19(59,4%)	N/A

AMH: anti-Müllerian hormone, Hb:hemoglobin

