

First Author	Location and size	Symptoms	Lymphoma	EBV type	Gross analysis	Follow up
Bagwan [19]	Left atrium (4x2 cm)	Multiple strokes	Diffuse large B-cell lymphoma	Not available	Gelatinous, grape-like, friable	Not available
Dimitrova [20]	Left atrium (7.5x4.5 cm)	Chest pain	Diffuse large B-cell lymphoma	Not available	Partially fimbriated surface, gelatinous and necrotic parts	Not available
Loong [11]	Left atrium (6.5x4 cm)	Cardiogenic shock, ischemic stroke	Diffuse large B-cell lymphoma	Type III Latency (EBER+, LMP1+)	Not described	Deceased for chemotherapy complications (neutropenia + pneumonia) at 5 months
Svec [12]	Left atrium (3.7x1.5 cm)	Ischemic stroke	Diffuse large B-cell lymphoma	Type III Latency (EBER +, LMP1+)	Not described	Not evidence of disease at 7 months
Bartoloni [13]	Left atrium (5.5x4.5 cm)	Fever and progressive fatigue	Atypical lymphoid B-cell proliferation	Type II Latency (EBER +, LMP1+)	Glistening, villous and gelatinous surface	Not evidence of disease at 72 months
Tapan [15]	Left atrium (4.2x3.6 cm)	Palpitations	Diffuse large B-cell lymphoma	Type III Latency (EBER +, LMP1+)	Not described	Not evidence of disease at 12 months
Aguilar [14]	Left atrium (6x2.5 cm)	Transient ischemic attack	Diffuse large B-cell lymphoma	Type III Latency (EBER +, LMP1+)	Not described	Not evidence of disease at 42 months
Pineda [3]	Left atrium (6.5x3 cm)	Coronary embolization	Diffuse large B-cell lymphoma	Not available	Reddish, gelatinous	Not available
Park [24]	Left atrium (6x3.2 cm)	Peripheral arterial embolization	Diffuse large B-cell lymphoma	Type III Latency, EBER +	Irregular surface, friable	Not available
Boyer [22]	Left atrium (? cm)	Syncope	Diffuse large B-cell lymphoma	EBER+	Not available	Not evidence of disease at 130 months
Boyer [22]	Left atrium (? cm)	Syncope, cough, dyspnoea	Diffuse large B-cell lymphoma	EBER+, LMP1+	Reddish, gelatinous	Died at 2 months for cardiac cause.
Boyer [22]	Left atrium (? cm)	Dyspnoea, respiratory failure	Diffuse large B-cell lymphoma	EBER+, LMP1+	Not available	Recurrent FA-DLBCL at mitral valve after 25 months. Died at 26 months (embolic stroke).
Yan [23]	Left atrium (? cm)	Congestive heart failure	Diffuse large B-cell lymphoma	Type III Latency, EBER+, LMP1+	myxoid appearance with an abundant fibrinous or mucinous background in the centre	Not evidence of disease at 7 months
Yan [23]	Left atrium (? cm)	Congestive heart failure	Diffuse large B-cell lymphoma	Type III Latency, EBER+, LMP1+	myxoid appearance with an abundant fibrinous or mucinous background in the centre	Not evidence of disease at 84 months
Yan [23]	Left atrium (? cm)	Congestive heart failure	Diffuse large B-cell lymphoma	Type III Latency, EBER+, LMP1+	myxoid appearance with an abundant fibrinous or mucinous background in the centre	Not evidence of disease at 3 months
Yan [23]	Left atrium (? cm)	Congestive heart failure	Diffuse large B-cell lymphoma	Type III Latency, EBER+, LMP1+	myxoid appearance with an abundant fibrinous or mucinous background in the centre	Not evidence of disease at 120 months
Present case	Left atrium (3.6x3 cm)	Asthenia, dyspnoea and dizziness	Diffuse large B-cell lymphoma	EBER+, LMP1+	Gelatinous, grape-like, pale pink, semi-transparent, extremely friable	Not evidence of disease at 4 months