

References

- Aichner, B., Bussian, B. M., Lehnik-Habrink, P., & Hein, S. (2015). Regionalized concentrations and fingerprints of polycyclic aromatic hydrocarbons (PAHs) in German forest soils. *Environmental Pollution*, 203, 31-39. <https://doi.org/10.1016/j.envpol.2015.03.026>
- Alef, K. (1995). Enzyme activities [W:] Alef K., Nannipieri P. Eds., *Methods in applied Soil Microbiology and Biochemistry*.
- Ammer, C. (2019). Diversity and forest productivity in a changing climate. *New Phytologist*, 221(1), 50-66. <https://doi.org/10.1111/nph.15263>
- Augusto, L., De Schrijver, A., Vesterdal, L., Smolander, A., Prescott, C., & Ranger, J. (2015). Influences of evergreen gymnosperm and deciduous angiosperm tree species on the functioning of temperate and boreal forests. *Biological Reviews*, 90(2), 444-466. <https://doi.org/10.1111/brv.12119>
- Berg, B., McClaugherty, C. (2008). *Plant Litter. Decomposition, Humus Formation, Carbon Sequestration*. Springer-Verlag, Berlin.
- Błońska, E. (2015). Effect of stand species composition on the enzyme activity and organic matter stabilization in forest soil. *University of Agriculture Press*.
- Błońska, E., Lasota, J., & Gruba, P. (2016). Effect of temperate forest tree species on soil dehydrogenase and urease activities in relation to other properties of soil derived from loess and glaciofluvial sand. *Ecological Research*, 31(5), 655-664. <https://doi.org/10.1007/s11284-016-1375-6>
- Błońska, E., Lasota, J., & Gruba, P. (2017). Enzymatic activity and stabilization of organic matter in soil with different detritus inputs. *Soil Science and Plant Nutrition*, 63(3), 242-247. <https://doi.org/10.1080/00380768.2017.1326281>

- Błońska, E., Piaszczyk, W., Stasz, K., & Lasota, J. (2021). Enzymatic activity of soils and soil organic matter stabilization as an effect of components released from the decomposition of litter. *Applied Soil Ecology*, 157, 103723. <https://doi.org/10.1016/j.apsoil.2020.103723>
- Buurman P, Van Lagen B, Velthorst EJ. (1996). *Manual for Soil and Water Analysis*, Backhuys Publishers, Leiden, 314.
- Cachada, A., Coelho, C., Gavina, A., Dias, A. C., Patinha, C., Reis, A. P., ... & Pereira, R. (2018). Availability of polycyclic aromatic hydrocarbons to earthworms in urban soils and its implications for risk assessment. *Chemosphere*, 191, 196-203. <https://doi.org/10.1016/j.chemosphere.2017.10.013>
- Cao, H., Wang, C., Liu, H., Jia, W., & Sun, H. (2020). Enzyme activities during Benzo [a] pyrene degradation by the fungus *Lasioidiplodia theobromae* isolated from a polluted soil. *Scientific reports*, 10(1), 1-11 <https://doi.org/10.1038/s41598-020-57692-6>
- Chaîneau, C. H., Rougeux, G., Yepremian, C., & Oudot, J. (2005). Effects of nutrient concentration on the biodegradation of crude oil and associated microbial populations in the soil. *Soil biology and biochemistry*, 37(8), 1490-1497. <https://doi.org/10.1016/j.soilbio.2005.01.012>
- De Deyn, G. B., Cornelissen, J. H., & Bardgett, R. D. (2008). Plant functional traits and soil carbon sequestration in contrasting biomes. *Ecology letters*, 11(5), 516-531. <https://doi.org/10.1111/j.1461-0248.2008.01164.x>
- Directive 2004/107/EC of the European Parliament and of the Council of 15 December 2004 relating to arsenic, cadmium, mercury, nickel and polycyclic aromatic hydrocarbons in ambient air.

- 50 • EEA (2020). “Air quality e-reporting database”, European Environment Agency
51 (<http://discomap.eea.europa.eu/map/fme/AirQualityExport.htm>) accessed 17 June
52 2020.
- 53 • Ehlers, G. A., & Loibner, A. P. (2006). Linking organic pollutant (bio) availability
54 with geosorbent properties and biomimetic methodology: a review of geosorbent
55 characterisation and (bio) availability prediction. *Environmental Pollution*, 141(3),
56 494-512. <https://doi.org/10.1016/j.envpol.2005.08.063>
- 57 • Eisalou, H. K., Şengönül, K., Gökbülak, F., Serengil, Y., & Uygur, B. (2013). Effects
58 of forest canopy cover and floor on chemical quality of water in broad leaved and
59 coniferous forests of Istanbul, Turkey. *Forest Ecology and Management*, 289, 371-
60 377. <https://doi.org/10.1016/j.foreco.2012.10.031>
- 61 • Environmental Impact Assessment Report for the Rybnik Forest District (2016)
62 Regional Development Office Ltd.
63 https://bip.um.rybnik.eu/docs/2016/03/14/file_4107717.pdf. Accessed 30 Jul 2020.
- 64 • Eom, I. C., Rast, C., Veber, A. M., & Vasseur, P. (2007). Ecotoxicity of a polycyclic
65 aromatic hydrocarbon (PAH)-contaminated soil. *Ecotoxicology and environmental*
66 *safety*, 67(2), 190-205. <https://doi.org/10.1016/j.ecoenv.2006.12.020>
- 67 • Epron, D., Nouvellon, Y., Mareschal, L., e Moreira, R. M., Koutika, L. S., Geneste,
68 B., ... & Bouillet, J. P. (2013). Partitioning of net primary production in Eucalyptus
69 and Acacia stands and in mixed-species plantations: two case-studies in contrasting
70 tropical environments. *Forest Ecology and Management*, 301, 102-111. [https://doi.org/](https://doi.org/10.1016/j.foreco.2012.10.034)
71 [10.1016/j.foreco.2012.10.034](https://doi.org/10.1016/j.foreco.2012.10.034)
- 72 • Ghosal, D., Ghosh, S., Dutta, T.K., Ahn, Y. (2016). Current state of knowledge in
73 microbial degradation of polycyclic aromatic hydrocarbons (PAHs): a review. *Front.*
74 *Microbiol.* 7, 1369. <https://doi.org/10.3389/fmicb.2016.01369>

- 75 • Gil-Sotres, F., Trasar-Cepeda, C., Leirós, M. C., & Seoane, S. (2005). Different
76 approaches to evaluating soil quality using biochemical properties. *Soil biology and*
77 *biochemistry*, 37(5), 877-887. <https://doi.org/10.1016/j.soilbio.2004.10.003>
- 78 • Grüneberg, E., Schöning, I., Hessenmöller, D., Schulze, E. D., & Weisser, W. W.
79 (2013). Organic layer and clay content control soil organic carbon stocks in density
80 fractions of differently managed German beech forests. *Forest Ecology and*
81 *Management*, 303, 1-10. <https://doi.org/10.1016/j.foreco.2013.03.014>
- 82 • Guggenberger, G., Pichler, M., Hartmann, R., & Zech, W. (1996). Polycyclic aromatic
83 hydrocarbons in different forest soils: mineral horizons. *Zeitschrift für*
84 *Pflanzenernährung und Bodenkunde*, 159(6), 565-573.
85 <https://doi.org/10.1002/jpln.1996.3581590607>
- 86 • Haritash, A. K., & Kaushik, C. P. (2009). Biodegradation aspects of polycyclic
87 aromatic hydrocarbons (PAHs): a review. *Journal of hazardous materials*, 169(1-3), 1-
88 15. <https://doi.org/10.1016/j.jhazmat.2009.03.137>
- 89 • Haynes, R. J. (2005). Labile organic matter fractions as central components of the
90 quality of agricultural soils: an overview. *Advances in agronomy*, 85, 221-268.
- 91 • Hill, T. J., Skeffington, R. A., & Whitehead, P. G. (2002). Recovery from acidification
92 in the Tillingbourne catchment, southern England: catchment description and
93 preliminary results. *Science of the total environment*, 282, 81-97.
94 [https://doi.org/10.1016/S0048-9697\(01\)00939-1](https://doi.org/10.1016/S0048-9697(01)00939-1)
- 95 • Hobbie, S. E., Ogdahl, M., Chorover, J., Chadwick, O. A., Oleksyn, J., Zytkowskiak, R.,
96 & Reich, P. B. (2007). Tree species effects on soil organic matter dynamics: the role
97 of soil cation composition. *Ecosystems*, 10(6), 999-1018.
98 <https://doi.org/10.1007/s10021-007-9073-4>

- 99 • FAO, I. Working Group WRB (2015). World reference base for soil resources 2014,
100 update 2015. International soil classification system for naming soils and creating
101 legends for soil maps. World Soil Resources Reports, (106).
- 102 • Jandl, R., Alewell, C., & Prietzel, J. (2004). Calcium loss in Central European forest
103 soils. Soil Science Society of America Journal, 68(2), 588-595.
104 <https://doi.org/10.2136/sssaj2004.5880>
- 105 • Jandl, R., Lindner, M., Vesterdal, L., Bauwens, B., Baritz, R., Hagedorn, F., ... &
106 Byrne, K. A. (2007). How strongly can forest management influence soil carbon
107 sequestration? Geoderma, 137(3-4), 253-268.
108 <https://doi.org/10.1016/j.geoderma.2006.09.003>
- 109 • Jastrow, J. D., Amonette, J. E., & Bailey, V. L. (2007). Mechanisms controlling soil
110 carbon turnover and their potential application for enhancing carbon sequestration.
111 Climatic Change, 80(1-2), 5-23. <https://doi.org/10.1007/s10584-006-9178-3>
- 112 • Jenkinson, D. S., & Powlson, D. S. (1976). The effects of biocidal treatments on
113 metabolism in soil—V: A method for measuring soil biomass. Soil biology and
114 Biochemistry, 8(3), 209-213. [https://doi.org/10.1016/0038-0717\(76\)90005-5](https://doi.org/10.1016/0038-0717(76)90005-5)
- 115 • Johnsen, A. R., Wick, L. Y., & Harms, H. (2005). Principles of microbial PAH-
116 degradation in soil. Environmental pollution, 133(1), 71-84.
117 <https://doi.org/10.1016/j.envpol.2004.04.015>
- 118 • Lasota, J., Błońska, E., Łyszczarz, S., & Tibbett, M. (2020). Forest Humus Type
119 Governs Heavy Metal Accumulation in Specific Organic Matter Fractions. Water, Air,
120 & Soil Pollution, 231(2), 80. <https://doi.org/10.1007/s11270-020-4450-0>
- 121 • Li, H., Qu, R., Li, C., Guo, W., Han, X., He, F., ... & Xing, B. (2014). Selective
122 removal of polycyclic aromatic hydrocarbons (PAHs) from soil washing effluents

using biochars produced at different pyrolytic temperatures. *Bioresource technology*, 163, 193-198. <https://doi.org/10.1016/j.biortech.2014.04.042>

- Li, J., Luo, C., Zhang, D., Cai, X., Jiang, L., Zhao, X., & Zhang, G. (2019). Diversity of the active phenanthrene degraders in PAH-polluted soil is shaped by ryegrass rhizosphere and root exudates. *Soil Biology and Biochemistry*, 128, 100-110. <https://doi.org/10.1016/j.soilbio.2018.10.008>
- Li, J., Sun, H., & Zhang, Y. (2007). Desorption of pyrene from freshly-amended and aged soils and its relationship to bioaccumulation in earthworms. *Soil & Sediment Contamination*, 16(1), 79-87. <https://doi.org/10.1080/15320380601079665>
- Li, Q., Li, Y., Zhu, L., Xing, B., & Chen, B. (2017). Dependence of plant uptake and diffusion of polycyclic aromatic hydrocarbons on the leaf surface morphology and micro-structures of cuticular waxes. *Scientific reports*, 7, 46235. <https://doi.org/10.1038/srep46235>
- Li, X., Vogeler, I., & Schwendenmann, L. (2019). Soil aggregation and soil fraction associated carbon under different vegetation types in a complex landscape. *Soil Research*, 57(3), 215-227. <https://doi.org/10.1071/SR18193>
- Lladó, S., Jiménez, N., Vinas, M., & Solanas, A. M. (2009). Microbial populations related to PAH biodegradation in an aged biostimulated creosote-contaminated soil. *Biodegradation*, 20(5), 593-601. <https://doi.org/10.1007/s10532-009-9247-1>
- Lors C., Damidot D., Ponge J.F., Périé F. (2012). Comparison of a bioremediation process of PAHs in a PAH-contaminated soil at field and laboratory scales. *Environ. Pollut.* 165, 11-17. <https://doi.org/10.1016/j.envpol.2012.02.004>
- Lui, K. H., Chan, C. S., Tian, L., Ning, B. F., Zhou, Y., Song, X., ... & Ho, K. F. (2017). Elements in Fine Particulate Matter (PM_{2.5}) from Indoor Air During

- Household Stoves Coal Combustion at Xuanwei, China. *Aerosol Science and Engineering*, 1(1), 41-50. <https://doi.org/10.1007/s41810-017-0004-2>
- Luo, L., Zhang, S., & Ma, Y. (2008). Evaluation of impacts of soil fractions on phenanthrene sorption. *Chemosphere*, 72(6), 891-896. <https://doi.org/10.1016/j.chemosphere.2008.03.051>
 - MacKay, A. A., & Gschwend, P. M. (2001). Enhanced concentrations of PAHs in groundwater at a coal tar site. *Environmental science & technology*, 35(7), 1320-1328. <https://doi.org/10.1021/es0014786>
 - Magh, R. K., Yang, F., Rehschuh, S., Burger, M., Dannenmann, M., Pena, R., ... & Rennenberg, H. (2018). Nitrogen nutrition of European beech is maintained at sufficient water supply in mixed beech-fir stands. *Forests*, 9(12), 733. <https://doi.org/10.3390/f9120733>
 - Makoi, J. H., & Ndakidemi, P. A. (2008). Selected soil enzymes: examples of their potential roles in the ecosystem. *African Journal of Biotechnology*, 7(3). <https://doi.org/10.5897/AJB07.590>
 - Maliszewska-Kordybach, B. (1996). Polycyclic aromatic hydrocarbons in agricultural soils in Poland: preliminary proposals for criteria to evaluate the level of soil contamination. *Applied Geochemistry*, 11(1-2), 121-127. [https://doi.org/10.1016/0883-2927\(95\)00076-3](https://doi.org/10.1016/0883-2927(95)00076-3)
 - Maliszewska-Kordybach, B., Klimkowicz-Pawlas, A., & Smreczak, B. (2010). Relationship between the properties of mineral soils and the level of accumulation of persistent organic contaminants; example of polycyclic aromatic hydrocarbons.[in:] Szajdak LW & Karabanov AK. *Physical, Chemical and Biological Process in Soils*, The Committee on Land Reclamation and Agricultural Environment Engineering, Polish Academy of Science, Poznań, 345-358.

- 172 • Mareschal, L., Bonnaud, P., Turpault, M. P., & Ranger, J. (2010). Impact of common
173 European tree species on the chemical and physicochemical properties of fine earth:
174 an unusual pattern. *European Journal of Soil Science*, 61(1), 14-23.
175 <https://doi.org/10.1111/j.1365-2389.2009.01206.x>
- 176 • Matzner, F. (1984). Annual rates of deposition of polycyclic aromatic hydrocarbons in
177 different forest ecosystems. *Water, Air, and Soil Pollution*, 21(1-4), 425-434. *Methods*
178 *in Applied Soil Microbiology and Biochemistry*. Academic Press, London, 311–375.
179 <https://doi.org/10.1007/BF00163642>
- 180 • Mueller, K. E., Eissenstat, D. M., Hobbie, S. E., Oleksyn, J., Jagodzinski, A. M.,
181 Reich, P. B., ... & Chorover, J. (2012). Tree species effects on coupled cycles of
182 carbon, nitrogen, and acidity in mineral soils at a common garden experiment.
183 *Biogeochemistry*, 111(1-3), 601-614. <https://doi.org/10.1007/s10533-011-9695-7>
- 184 • Ni, J., Luo, Y., Wei, R., & Li, X. (2008). Distribution patterns of polycyclic aromatic
185 hydrocarbons among different organic carbon fractions of polluted agricultural soils.
186 *Geoderma*, 146(1-2), 277-282. <https://doi.org/10.1016/j.geoderma.2008.06.001>
- 187 • Oleszczuk, P. (2007). Investigation of potentially bioavailable and sequestered forms
188 of polycyclic aromatic hydrocarbons during sewage sludge composting. *Chemosphere*,
189 70(2), 288-297. <https://doi.org/10.1016/j.chemosphere.2007.06.011>
- 190 • Peng, C., Ouyang, Z., Wang, M., Chen, W., & Jiao, W. (2012). Vegetative cover and
191 PAHs accumulation in soils of urban green space. *Environmental Pollution*, 161, 36-
192 42. <https://doi.org/10.1016/j.envpol.2011.09.027>
- 193 • Pritsch, K., Raidl, S., Marksteiner, E., Blaschke, H., Agerer, R., Schloter, M., &
194 Hartmann, A. (2004). A rapid and highly sensitive method for measuring enzyme
195 activities in single mycorrhizal tips using 4-methylumbelliferone-labelled fluorogenic

substrates in a microplate system. Journal of microbiological methods, 58(2), 233-241.

<https://doi.org/10.1016/j.mimet.2004.04.001>

- R Core Team (2020). R: A language and environment for statistical computing. R

Foundation for Statistical Computing, Vienna, Austria. URL [https://www.R-](https://www.R-project.org)

[project.org](https://www.R-project.org)

- Reich, P. B., Oleksyn, J., Modrzynski, J., Mrozinski, P., Hobbie, S. E., Eissenstat, D.

M., ... & Tjoelker, M. G. (2005). Linking litter calcium, earthworms and soil

properties: a common garden test with 14 tree species. Ecology letters, 8(8), 811-818.

<https://doi.org/10.1111/j.1461-0248.2005.00779.x>

- RStudio Team (2020). RStudio: Integrated Development for R. RStudio, PBC,

Boston, MA URL <http://www.rstudio.com/>.

- Sanaullah, M., Razavi, B. S., Blagodatskaya, E., & Kuzyakov, Y. (2016). Spatial

distribution and catalytic mechanisms of β -glucosidase activity at the root-soil

interface. Biology and fertility of soils, 52(4), 505-514.

<https://doi.org/10.1007/s00374-016-1094-8>

- Schulp, C. J., Nabuurs, G. J., Verburg, P. H., & de Waal, R. W. (2008). Effect of tree

species on carbon stocks in forest floor and mineral soil and implications for soil

carbon inventories. Forest ecology and management, 256(3), 482-490.

<https://doi.org/10.1016/j.foreco.2008.05.007>

- Six, J., Conant, R. T., Paul, E. A., & Paustian, K. (2002). Stabilization mechanisms of

soil organic matter: implications for C-saturation of soils. Plant and soil, 241(2), 155-

176. <https://doi.org/10.1023/A:1016125726789>

- Sohi, S. P., Mahieu, N., Arah, J. R., Powlson, D. S., Madari, B., & Gaunt, J. L. (2001).

A procedure for isolating soil organic matter fractions suitable for modeling. Soil

Science Society of America Journal, 65(4), 1121-1128.
<https://doi.org/10.2136/sssaj2001.6541121x>

- Sun, Y., Sun, G., Zhou, Q., Xu, Y., Wang, L., Liang, X., Sun, Y., Qin, X. (2012). Polycyclicaromatic hydrocarbon (PAH) contamination in the urban topsoils of shenyang,China. Soil Sediment Contam. 21, 901-917.
<https://doi.org/10.1080/15320383.2012.697937>
- Tiwari, J. N., Chaturvedi, P., Ansari, N. G., Patel, D. K., Jain, S. K., & Murthy, R. C. (2011). Assessment of Polycyclic Aromatic Hydrocarbons (PAH) and heavy metals in the vicinity of an oil refinery in India. Soil and Sediment Contamination, 20(3), 315-328. <https://doi.org/10.1080/15320383.2011.560984>
- Turner, B. L. (2010). Variation in pH optima of hydrolytic enzyme activities in tropical rain forest soils. Applied and Environmental Microbiology, 76(19), 6485-6493. <https://doi.org/10.1128/AEM.00560-10>
- Ukalska-Jaruga, A., Smreczak, B., Klimkowicz-Pawlas, A., & Maliszewska-Kordybach, B. (2015). The role of organic matter in the accumulation processes of persistent organic pollutants (POPs) in soils (in Polish). Polish Journal of Agronomy, 20, 15-23.
- Vance, E. D., Brookes, P. C., & Jenkinson, D. S. (1987). An extraction method for measuring soil microbial biomass C. Soil biology and Biochemistry, 19(6), 703-707. [https://doi.org/10.1016/0038-0717\(87\)90052-6](https://doi.org/10.1016/0038-0717(87)90052-6)
- Vesterdal, L., Schmidt, I. K., Callesen, I., Nilsson, L. O., & Gundersen, P. (2008). Carbon and nitrogen in forest floor and mineral soil under six common European tree species. Forest Ecology and Management, 255(1), 35-48. <https://doi.org/10.1016/j.foreco.2007.08.015>

- Wambsganss, J., Stutz, K. P., & Lang, F. (2017). European beech deadwood can increase soil organic carbon sequestration in forest topsoils. *Forest Ecology and Management*, 405, 200-209. <https://doi.org/10.1016/j.foreco.2017.08.053>
- Wilson, S. C., & Jones, K. C. (1993). Bioremediation of soil contaminated with polynuclear aromatic hydrocarbons (PAHs): a review. *Environmental pollution*, 81(3), 229-249. [https://doi.org/10.1016/0269-7491\(93\)90206-4](https://doi.org/10.1016/0269-7491(93)90206-4)
- Wu, Y., Luo, Y., Zou, D., Ni, J., Liu, W., Teng, Y., & Li, Z. (2008). Bioremediation of polycyclic aromatic hydrocarbons contaminated soil with *Monilinia* sp.: degradation and microbial community analysis. *Biodegradation*, 19(2), 247-257. <https://doi.org/10.1007/s10532-007-9131-9>
- Zhang, D., Hui, D., Luo, Y., & Zhou, G. (2008). Rates of litter decomposition in terrestrial ecosystems: global patterns and controlling factors. *Journal of Plant Ecology*, 1(2), 85-93. <https://doi.org/10.1093/jpe/rtn002>
- Zhang, N., Yang, Y., Tao, S., Liu, Y., & Shi, K. L. (2011). Sequestration of organochlorine pesticides in soils of distinct organic carbon content. *Environmental pollution*, 159(3), 700-705. <https://doi.org/10.1016/j.envpol.2010.12.011>
- Zhou, Q., Sun, F., & Liu, R. (2005). Joint chemical flushing of soils contaminated with petroleum hydrocarbons. *Environment International*, 31(6), 835-839. <https://doi.org/10.1016/j.envint.2005.05.039>