

1 Table 1. Descriptive statistics and analysis results of variables in patient groups.

Variables		RPL <sup>#</sup> (n:44)	Normal Delivery (n:60)	p
Age (Years)		30.5 ± 5.6	29.7 ± 6.0	<sup>a</sup> 0.503
Gravidity	1	0 (0%)	5 (8.3%)	<sup>b</sup> 0.002*
	2	3 (6.8%)	19 (31.7%)	
	3	18 (40.9%)	20 (33.3%)	
	4	14 (31.8%)	7 (11.7%)	
	≥5	9 (20.5%)	9 (15%)	
Parity	0	9 (20.5%)	0 (0%)	<sup>b</sup> 0.000*
	1	20 (45.5%)	6 (10%)	
	2	13 (29.5%)	18 (30%)	
	3	1 (2.3%)	20 (33.3%)	
	≥4	1 (2.3%)	16 (26.7%)	
Fibrinogen, mg/dl		460.0 ± 87.1	363.1 ± 70.9	<sup>a</sup> 0.000*
Albumin, g/dL		3.54 ± 0.39	4.12 ± 0.36	<sup>a</sup> 0.000*
FAR: Fibrinogen to Albumin Ratio,%		130.7 ± 28.3	88.6 ± 17.9	<sup>a</sup> 0.000*
NLR: Neutrophil to lymphocyte ratio,%		4.83 ± 0.71	3.71 ± 0.88	<sup>a</sup> 0.000*
MPV: Mean platelet volume, fL		10.6 ± 1.7	10.8 ± 1.1	<sup>a</sup> 0.454
RDW: Red cell distribution width, CV %		12.5 ± 1.1	13.1 ± 1.0	<sup>a</sup> 0.005*
RDW: Red cell distribution width, SD fL		37.9 ± 3.0	39.5 ± 2.7	<sup>a</sup> 0.005*
Platelet count, 10 <sup>3</sup> /uL		299.3 ± 95.6	250.5 ± 62.6	<sup>a</sup> 0.004*
D-dimer, ug/L		293.4 ± 116.0	242.0 ± 101.2	<sup>a</sup> 0.071
<sup>#</sup> RPL: Recurrent pregnancy loss, * p<0.05; <sup>a</sup> independent T Test; <sup>b</sup> Chi Square Test				

