

Patient	Baseline oxygenation data at the start of CAR test					oxygenation data at the end of CAR test						FiO <sub>2</sub> after 72 hours
	SpO <sub>2</sub>	FiO <sub>2</sub>	crRTO	OSI	FOE	SpO <sub>2</sub>	FiO <sub>2</sub>	Percent of weaning	crRTO	OSI	FOE	
Intact CAR	93 (89-95)	0.75 (69-83)	82 (78-89)	11 8-13)	0.1 (0.04- 0.13)	88 (84-93)	0.5 (0.43-0.58)	34	71 (65-79)	7.6 5-8.4)	0.13 (0.11-0.16)	0.33
Impaired CAR	92 (88-94)	0.67 (62-74)	80 (76-89)	9.3 (7.5- 12)	0.12 (0.08- 0.2)	84 (80-95)	0.63	5.3	62 (55-72)	9.1 (7-11)	0.3 (0.26-0.42)	0.62
<i>p</i> value	>0.05	>0.05	>0.05	>0.05	>0.05	>0.05	>0.05	<b>&lt;0.0001</b>	<b>&lt;0.001</b>	<b>0.04</b>	>0.05	<b>&lt;0.02</b>

Table 2: mean  $\pm$ SD of oxygen indices before start and at the end of ORT test, significant *p* values are written in bold.